| | DBs | Time Stamp | Comments | Error Definition |
|----|------------------------------------|------------------|----------|---------------------|
| 1 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:39 | | |
| 2 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:43 | | |
| 3 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:42 | | |
| 4 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:48 | | |
| 5 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:48 | | |
| 6 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:48 | | |
| 7 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:48 | | |
| 8 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:58 | | |
| 9 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/21 15:58 | | |
| 10 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 12:41 | | |
| 11 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 12:42 | | |
| 12 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:11 | | |
| 13 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:12 | | |
| 14 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:41 | | |
| 15 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:47 | | |
| 16 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:47 | | |
| 17 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:48 | | |

| | Туре | Hits | Search Text |
|----|------|-------|--|
| 1 | BRS | 219 | sock and ("low friction") |
| 2 | BRS | 4 | (sock and ("low friction")) and triple |
| 3 | IS&R | 2 | ("4431096").PN. |
| 4 | BRS | 58 | safrit and sock |
| 5 | BRS | 3273 | "low friction" and fabric |
| 6 | BRS | 1720 | ("low friction" and fabric) and layer |
| 7 | BRS | 55 | (("low friction" and fabric) and layer) and sock |
| 8 | BRS | 53862 | (low or less) adj friction |
| 9 | BRS | 2294 | ((low or less) adj friction) and (woven or weave) |
| 10 | BRS | 56 | (((low or less) adj friction) and (woven or weave)) and sock |
| 11 | BRS | 2152 | woven and sock |
| 12 | BRS | 98 | woven near sock |
| 13 | IS&R | 3226 | ((139/407) or (139/408) or (139/409) or (139/410) or (139/411) or (139/419) or (139/420R) or (139/420A) or (442/239) or (442/243) or (442/244) or (442/246) or (442/255)).CCLS. |
| 14 | BRS | 175 | (((139/407) or (139/408) or (139/409) or (139/410) or (139/411) or (139/419) or (139/420R) or (139/420A) or (442/239) or (442/243) or (442/244) or (442/246) or (442/255)).CCLS.) and friction |
| 15 | BRS | 11536 | ("low friction" or "anti-friction" or "frictionless") and (woven or weave or garment or apparel or jacket or coat or lining) |
| 16 | BRS | 7110 | (("low friction" or "anti-friction" or "frictionless") and (woven or weave or garment or apparel or jacket or coat or lining)) and (rotate or "90") |
| 17 | BRS | 5075 | (("low friction" or "anti-friction" or "frictionless") and (woven or weave or garment or apparel or jacket or coat or lining)) and ("90") |

| | Errors |
|----|--------|
| 1 | 0 |
| 2 | 0 |
| 3 | 0 |
| 4 | 0 |
| 5 | 0 |
| 6 | 0 |
| 7 | 0 |
| 8 | 0 |
| 9 | 0 |
| 10 | 0 |
| 11 | 0 |
| 12 | 0 |
| 13 | 0 |
| 14 | 0 |
| 15 | 0 |
| 16 | 0 |
| 17 | 0 |

| | Туре | Hits | Search Text |
|----|------|------|---|
| 18 | BRS | 425 | (("low friction" or "anti-friction" or "frictionless") and (woven or weave or garment or apparel or jacket or coat or lining)) and ("90" adj degree) |

| | DBs | Time Stamp | Comments | Error Definition |
|----|------------------------------------|------------------|----------|---------------------|
| 18 | USPAT; EPO; JPO; DERWENT; USOCR | 2004/01/22 13:48 | | |

| | Errors |
|----|--------|
| 18 | 0 |